

## Complete List of HTML Tags

### Code:

<code>&lt;!-- --&gt;</code>	<i>Inserts hidden comments</i>
<code>&lt;!DOCTYPE&gt;</code>	<i>Sets the document type</i>
<code>&lt;a&gt;</code>	<i>Inserts links or bookmarks</i>
<code>&lt;abbr&gt;</code>	<i>Explains abbreviations</i>
<code>&lt;acronym&gt;</code>	<i>Explains acronyms</i>
<code>&lt;address&gt;</code>	<i>Provides contact information</i>
<code>&lt;applet&gt;</code>	<i>Inserts an applet (scripts)</i>
<code>&lt;area&gt;</code>	<i>Defines sectors for image maps</i>
<code>&lt;b&gt;</code>	<i>Text in bold style</i>
<code>&lt;base&gt;</code>	<i>Sets the base URI to solve relative URIs</i>
<code>&lt;basefont&gt;</code>	<i>Sets the default font size</i>
<code>&lt;bdo&gt;</code>	<i>Overrides the bidirectional algorithm</i>
<code>&lt;big&gt;</code>	<i>Text in "large" font</i>
<code>&lt;blockquote&gt;</code>	<i>Paragraph quotation</i>
<code>&lt;body&gt;</code>	<i>Contains the renderable elements</i>
<code>&lt;br&gt;</code>	<i>Forces a line break</i>
<code>&lt;button&gt;</code>	<i>Creates a button</i>
<code>&lt;caption&gt;</code>	<i>Set a table's caption</i>
<code>&lt;center&gt;</code>	<i>centers it's content</i>
<code>&lt;cite&gt;</code>	<i>Inserts a citation or reference</i>
<code>&lt;code&gt;</code>	<i>Represents computer code</i>
<code>&lt;col&gt;</code>	<i>Sets attributes for table's columns</i>
<code>&lt;colgroup&gt;</code>	<i>Groups columns in a table</i>
<code>&lt;dd&gt;</code>	<i>Defines descriptions in a list</i>
<code>&lt;del&gt;</code>	<i>Indicates deleted text</i>
<code>&lt;dfn&gt;</code>	<i>Assings a definition to a term</i>
<code>&lt;dir&gt;</code>	<i>Inserts a directory list (tree)</i>
<code>&lt;div&gt;</code>	<i>Defines a block of content</i>
<code>&lt;dl&gt;</code>	<i>Defines a list</i>
<code>&lt;dt&gt;</code>	<i>Inserts a term in a list</i>
<code>&lt;em&gt;</code>	<i>Indicates emphasis</i>
<code>&lt;fieldset&gt;</code>	<i>Groups controls in a form</i>
<code>&lt;font&gt;</code>	<i>Sets the font style</i>
<code>&lt;form&gt;</code>	<i>Inserts a form</i>
<code>&lt;frame&gt;</code>	<i>Inserts a single frame</i>
<code>&lt;frameset&gt;</code>	<i>Inserts a set of frames</i>
<code>&lt;h1&gt;</code>	<i>Heading level 1</i>
<code>&lt;h2&gt;</code>	<i>Heading level 2</i>

<b>&lt;h3&gt;</b>	<b>Heading level 3</b>
<b>&lt;h4&gt;</b>	<b>Heading level 4</b>
<b>&lt;h5&gt;</b>	<b>Heading level 5</b>
<b>&lt;h6&gt;</b>	<b>Heading level 6</b>
<b>&lt;head&gt;</b>	<b>Defines the document's header block</b>
<b>&lt;hr&gt;</b>	<b>Draws an horizontal line or rule</b>
<b>&lt;html&gt;</b>	<b>Contains the document</b>
<b>&lt;i&gt;</b>	<b>Renders italic text</b>
<b>&lt;iframe&gt;</b>	<b>Inserts a frame inside a document</b>
<b>&lt;img&gt;</b>	<b>Inserts an image</b>
<b>&lt;input&gt;</b>	<b>Display input controls</b>
<b>&lt;ins&gt;</b>	<b>Indicates inserted text</b>
<b>&lt;isindex&gt;</b>	<b>Single line prompt</b>
<b>&lt;kbd&gt;</b>	<b>Represents text to be entered by users</b>
<b>&lt;label&gt;</b>	<b>Sets a label for a control</b>
<b>&lt;legend&gt;</b>	<b>Assigns a caption for a fieldset</b>
<b>&lt;li&gt;</b>	<b>Defines a list item</b>
<b>&lt;link&gt;</b>	<b>Gives relational info about documents</b>
<b>&lt;map&gt;</b>	<b>Defines a client-side image map</b>
<b>&lt;menu&gt;</b>	<b>Menu list</b>
<b>&lt;meta&gt;</b>	<b>Provides info about the document</b>
<b>&lt;noframes&gt;</b>	<b>Alternative content for frames</b>
<b>&lt;noscript&gt;</b>	<b>Alternate content for scripts</b>
<b>&lt;object&gt;</b>	<b>Runs external applications</b>
<b>&lt;ol&gt;</b>	<b>Inserts an ordered list</b>
<b>&lt;optgroup&gt;</b>	<b>Groups options in a select control</b>
<b>&lt;option&gt;</b>	<b>Defines an option in a select control</b>
<b>&lt;p&gt;</b>	<b>Defines a paragraph</b>
<b>&lt;param&gt;</b>	<b>Sets a parameter for an object</b>
<b>&lt;pre&gt;</b>	<b>Defines a block of preformatted text</b>
<b>&lt;q&gt;</b>	<b>Inserts a inline quotation</b>
<b>&lt;s&gt;</b>	<b>Renders strike-through text</b>
<b>&lt;samp&gt;</b>	<b>Represents sample output for programs</b>
<b>&lt;script&gt;</b>	<b>Contains scripts</b>
<b>&lt;select&gt;</b>	<b>Creates a select control</b>
<b>&lt;small&gt;</b>	<b>Renders text in "small" font</b>
<b>&lt;span&gt;</b>	<b>Assings attributes to text (inline)</b>
<b>&lt;strike&gt;</b>	<b>Renders strike-through text</b>
<b>&lt;strong&gt;</b>	<b>Indicates strong emphasis</b>
<b>&lt;style&gt;</b>	<b>Defines visual attributes (style sheets)</b>

**<sub>**      *Defines subscript text*  
**<sup>**      *Defines superscript text*  
**<table>**    *Inserts a table*  
**<tbody>**    *Defines a body in a table*  
**<td>**       *Regular cell of a table*  
**<textarea>** *Creates a multiline text input*  
**<tfoot>**    *Defines a footer in a table*  
**<th>**       *Header cell of a table*  
**<thead>**    *Defines a header in a table*  
**<title>**    *Defines the document's title*  
**<tr>**       *Inserts a row in a table*  
**<tt>**       *Renders teletype text*  
**<u>**         *Renders underlined text*  
**<ul>**       *Inserts an unordered list*  
**<var>**      *Indicates an instance of a variable*