

*Mine latest quiz.*

*1- In dynamic routing, the routing table is initialized when system boots.*

True

*2- Each autonomous system used to communicate among autonomous systems by chooses an IGP.*

False

*3- Each autonomous system used to communicate among autonomous systems by chooses an IGP.*

True (Not Sure)

*4- \_\_\_\_\_ identifies which application program on receiving computer should receive the data*

Destination Port

*5- Twice NAT is another variant of NAT. it is used with site that runs server. In this process NAT box is connected to Domain Name.*

True

*6- Which of the following are interior routing protocols?*

RIP

*7- NAT is not useful at a residence with Cable Modem or DSL connectivity.*

False.

*8- The maximum segment size of TCP flow control is \_\_\_\_\_*

*9- The goal of \_\_\_\_\_ is to avoid adding retransmissions to an already congested network.*

Congestion.

*10- TCP connections are not called Virtual connections.*

True (Not Sure)

**Question # 1:** In IP routing, forwarding refers to \_\_\_\_\_ transfer.

Packet

**Datagram**

Message

None of the given

**Question # 2:** The Network Layer Protocol ICMP stands for \_\_\_\_\_

Instant Control Message Protocol

***Internet Control Message Protocol***

Initial Control Message Protocol

None of the given

**Question # 3: NAT device stores state information in translation table.**

***True***

False

**Question # 4: IGPs stand for \_\_\_\_\_**

Internal Gateway Protocols

***Interior Gateway Protocols***

Intermediate Gateway Protocols

None of the given

**Question # 5: Fragmentation when using ICMP for path MTU should be avoided.**

***True***

False

**Question # 6: NAT software does not allow a PC to connect with the Internet and act as a NAT device at the same time.**

True

***False***

**Question # 7: Each autonomous system used to communicate among autonomous systems by chooses an IGP.**

***True***

False

**Question # 8: The amount of buffer space available at any time is called the window.**

***True***

False

**Question # 9: UDP datagram format is \_\_\_\_\_ bits.**

8

***16***

32

64

**Question # 10: The time for acknowledgement to arrive depends on**

- \_\_\_\_\_
- Distance to destination
- Current traffic conditions
- Both a and b***
- None of the given

UDP uses best-effort delivery service My Quiz # 2  
**True** False  
Page # 120

\_\_\_\_\_ Protocol uses three way handshake to begin a connection. My Quiz # 2  
UDP **TCP** IP none of the given  
Page # 127

TCP uses the term segment to refer to a \_\_\_\_\_. My Quiz # 2  
packet **message** both (a) and (b) None of the given  
Page # 128

ICMP message transport is acted upon by getting ICMP encrypted in IP. My Quiz # 2  
True **False**  
Page # 117

UDP provides connection-oriented service. My Quiz # 2  
True **False**

Page # 120

Autonomous System chooses a routing protocol to exchange routing information which is passed before being summarized to another group. My Quiz # 2  
True **False**  
Page # 135

Network having short intervals has a large timeout and the network having large interval has short timeout. True **False**

My Quiz # 2

The network having short intervals has a short timeout and the network having large interval has large timeout.

EGPs stand for \_\_\_\_\_

My Quiz # 2

**Exterior Gateway Protocols**

External Gateway Protocols

Extra Gateway Protocols

None of the given

The goal of \_\_\_\_\_ is to avoid adding retransmissions to an already congested network

My Quiz #2

packet control

**congestion control**

transmission control

None of the given

Page # 128

ICMP is used by \_\_\_\_\_ to communicate the network-level information

Hub

**Router**

Repeater

Amplifier

**Question # 1:** In IP routing, forwarding refers to \_\_\_\_\_ transfer.

Packet

***Datagram***

Message

None of the given

**Question # 2:** The Network Layer Protocol ICMP stands for \_\_\_\_\_

Instant Control Message Protocol

***Internet Control Message Protocol***

Initial Control Message Protocol

None of the given

**Question # 3:** NAT device stores state information in translation table.

***True***

False

**Question # 4:** IGPs stand for \_\_\_\_\_

Internal Gateway Protocols

***Interior Gateway Protocols***

Intermediate Gateway Protocols

None of the given

**Question # 5: Fragmentation when using ICMP for path MTU should be avoided.**

*True*

False

**Question # 6: NAT software does not allow a PC to connect with the Internet and act as a NAT device at the same time.**

True

*False*

**Question # 7: Each autonomous system used to communicate among autonomous systems by chooses an IGP.**

*True*

False

**Question # 8: The amount of buffer space available at any time is called the window.**

*True*

False

**Question # 9: UDP datagram format is \_\_\_\_\_ bits.**

8

*16*

32

64

**Question # 10: The time for acknowledgement to arrive depends on**

\_\_\_\_\_

Distance to destination

Current traffic conditions

*Both a and b*

None of the given